



**State Emergency
Response Commission**

Facility Identification Form

c/o Ohio EPA, Lazarus Government Center
50 W. Town St., Ste. 700
PO Box 1049
Columbus, OH 43216-1049

Reporting Period: January 1 to December 31, 2019
 Check if form is identical to form submitted last year
 Facility Name Change

Negative
 EHS Reported
 First Time Filer

Previous Facility Name: N/A

County: Fairfield

Facility Identification

Name Fairfield Medical Center		Maximum No. of Occupants: <input type="checkbox"/> N/A		<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned	
Address 401 North Ewing Street		City Lancaster		State OH	Zip Code 43130 — 3371
Latitude 039 43 03	Longitude — 082 34 36	NAICS Code 622110		Telephone Number (include area code) (740) 687 — 8000	
Dun & Bradstreet # 07 — 942 — 8397		TRI Facility ID# <input checked="" type="checkbox"/> N/A		RMP ID# <input checked="" type="checkbox"/> N/A	
Subject to Chemical Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Management Program)?					<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?					<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Owner or Operator Information			Parent Company Information (optional)		
Name Fairfield Medical Center			Name		Dun & Bradstreet # — —
Address 401 North Ewing Street			Address		
City Lancaster	State OH	Zip 43130-3371	City	State	Zip
Email			Email		
Telephone Number (include area code) (740) 687 — 8000			Telephone Number (include area code) () —		
Facility Emergency Coordinator (if applicable)			Tier 2 Information Contact		
Name Devon Marshall			Name David Chenault		
Title Emergency Management Coordinator			Title Environmental/Occupational Safety Coordinator		
Email devonm@fmchealth.org			Email davidc@fmchealth.org		
Telephone Number (include area code) (740) 687 — 8482	24-hour Number (include area code) (740) 215 — 1750		Telephone Number (include area code) (740) 687 — 6925		

Emergency Contacts

Name House Supervisor: Contact Rapid Assessment Team		Name Steve Anderson	
Title N/A		Title Chief of Police	
Email HouseSupervisors@fmchealth.org		Email stevea@fmchealth	
Telephone Number (include area code) (740) 243 — 1099	24-hour Number (include area code) (740) 215 — 1750	Telephone Number (include area code) (740) 808 — 1858	24-hour Number (include area code) (740) 687 — 8019

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through _____, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Name of owner/operator OR owner/operator's authorized representative Alan Greenslade	Official title of owner/operator OR owner/operator's authorized representative Chief Administrative Officer
Signature 	Date Signed 2/12/2019

Emergency and Hazardous Chemical Inventory


	4.1 Facility Name: Fairfield Medical Center			4.2 For filing date: 3/1/19	Page 1 of 2											
	Address: 401 North Ewing Street		County: Fairfield													
	City: Lancaster	State: OH	Zip: 43130													
4.2 <input checked="" type="checkbox"/> Check if Revision		4.3 <input checked="" type="checkbox"/> Site Map Attached		4.4 <input type="checkbox"/> Check here if storage location and facility map are confidential												
5.0 Chemical Description				Inventory Amount (lbs. or range code)	Storage Locations	Type of Storage	Storage Conditions									
1	<input type="checkbox"/> Pure	EHS	Trade Secret	Maximum Amount Code 10 Pounds 246,700	1. North of Building next to Parking Garage	Above-ground Tank	Ambient	Ambient								
	<input checked="" type="checkbox"/> Mixture	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						<input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas							
	Chemical Name: No. 2 Fuel Oil															
	CAS No. 68476-30-2															
	If mixture, Name of EHS(s) Name:															
CAS No.				Maximum Amount of each EHS in the Mixture Range Code: Code 10 Pounds 165,400	2. South of Building next to cafeteria	Below-ground Tank	Ambient	Ambient								
Non-EHS(s) Name (optional):				Days Onsite 365	3. West of Building	Above-ground Tank	Ambient	Ambient								
					4.											
Physical Hazards					Health Hazards											
<input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids or solids) <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Self-reactive <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric Gas <input type="checkbox"/> Self-heating					<input type="checkbox"/> Organic peroxide <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Gas under pressure (compressed gas) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Combustible dust <input type="checkbox"/> Hazard not otherwise classified				<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Germ cell mutagenicity <input checked="" type="checkbox"/> Carcinogenicity				<input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Hazard not otherwise specified			

Table I — Reporting Ranges						Table II — Storage Types (Examples)				Table III — Pressure and Temperature Conditions		
Range Value	Weight Range in Pounds		Range Value	Weight Range in Pounds		Range Value	Weight Range in Pounds		• Above-ground tank	• Bag	Pressure	
	From	To		From	To		From	To				
01	0	99	06	10,000	24,999	10	100,000	499,999	• Tank inside building	• Cylinder	• Ambient pressure	• Greater than ambient pressure
02	100	499	07	25,000	49,999	11	500,000	999,999	• Steel drum	• Glass bottles or jugs	• Less than ambient pressure	
03	500	999	08	50,000	74,999	12	1,000,000	9,999,999	• Plastic or non-metallic drum	• Plastic bottles or jugs	Temperature	
04	1,000	4,999	09	75,000	99,999	13	10,000,000	Greater than 10 million	• Can	• Tote bin	• Ambient temperature	• Greater than ambient temperature
05	5,000	9,999							• Carboy	• Tank wagon	• Less than ambient temperature but not cryogenic	
									• Silo	• Rail car	• Cryogenic conditions	
									• Fiber drum	• Battery		

Emergency and Hazardous Chemical Inventory

4.1 Facility Name: Fairfield Medical Center				4.2 For filing date: 3/1/19		Page 2 of 2					
5.0 Chemical Description				Inventory Amount (lbs. or range code)	Storage Locations	Type of Storage	Storage Conditions				
							Temperature	Pressure			
<input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mixture	EHS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Trade Secret <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	Maximum Amount Code 10 Pounds 133,280 Avg. Daily Amount Code 10 Pounds 104,720 Days Onsite 365	1. West of Building, south of Loading Dock	Above-ground tank	Cryogenic	Greater than ambient			
Chemical Name: Liquid Oxygen					2. West of Building, south of Loading Dock	Above-ground tank	Cryogenic	Greater than ambient			
CAS No. 7782-44-7					3.						
If mixture, Name of EHS(s) Name:		Maximum Amount of each EHS in the Mixture Range Code:			4.						
CAS No.											
Non-EHS(s) Name (optional):											
Physical Hazards				Health Hazards							
<input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids or solids) <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Self-reactive <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric Gas <input type="checkbox"/> Self-heating				<input type="checkbox"/> Organic peroxide <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Gas under pressure (compressed gas) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Hazard not otherwise classified				<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Carcinogenicity			

5.0 Chemical Description				Inventory Amount (lbs. or range code)	Storage Locations	Type of Storage	Storage Conditions				
							Temperature	Pressure			
<input type="checkbox"/> Pure <input type="checkbox"/> Mixture	EHS <input type="checkbox"/> Yes <input type="checkbox"/> No	Trade Secret <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas	Maximum Amount Code Pounds Avg. Daily Amount Code Pounds Days Onsite	1.						
Chemical Name:					2.						
CAS No.					3.						
If mixture, Name of EHS(s) Name:		Maximum Amount of each EHS in the Mixture Range Code:			4.						
CAS No.											
Non-EHS(s) Name (optional):											
Physical Hazards				Health Hazards							
<input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids or solids) <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Self-reactive <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric Gas <input type="checkbox"/> Self-heating				<input type="checkbox"/> Organic peroxide <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Gas under pressure (compressed gas) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Combustible dust <input type="checkbox"/> Hazard not otherwise classified				<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Carcinogenicity			



Fairfield Medical Center Main Campus
401 N. Ewing St.
Lancaster, Ohio 43130

[Signature] 2-27-19
Name / Signature / Date



Location Key

- B-1** Main Facility
- B-2** Pavilion
- B-3** FMC Surgical Facility
- T-1** 4,000 Gallon Above Ground Fuel Oil Storage
- T-2** 5,000 Gallon Below Ground Fuel Oil Storage Tank
- T-3** 11,000 Gallon Liquid Oxygen Storage Tank (Primary)
- T-4** 3,500 Gallon Liquid Oxygen Storage Tank (Secondary)
- T-5** 25,000 Gallon Above Ground Fuel Oil Storage Tank
- C-1** Compressed Gas Cylinder Storage
- C-2** Compressed Gas Cylinder Storage



Fairfield
Medical Center

February 28, 2019

State Emergency Response Commission
c/o Ohio Environmental Protection Agency /RTK
P.O. Box 1049
50 West Town Street, (Suite 700)
Columbus, Ohio 43216-1049

Fairfield County Office of Emergency Management and Homeland Security
241 West Main Street, Suite 100
Lancaster, Ohio 43130

Lancaster Fire Department
1596 East Main Street
Lancaster, Ohio 43130

Dear: Sir/Madam

Enclosed you will find the annual SERC Facility Report for the Fairfield Medical Center located at 401 North Ewing Street, Lancaster, Ohio 43130 which is due March 1, 2019. Enclosed you will find:

- Facility Identification Form
- Chemical Inventory Form
- Facility Map

Should you have any questions regarding this information or need additional information please feel free to contact me at (740) 687-6925.

Respectfully,

David (Kim) Chenault
Environmental Occupational Safety Coordinator
Fairfield Medical Center
401 North Ewing Street
Lancaster, Ohio 43130

Enclosures

RECEIVED

MAR 04 2019

FAIRFIELD COUNTY
OFFICE OF EMERGENCY MANAGEMENT
AND HOMELAND SECURITY

Fairfield Medical Center | 401 N. Ewing St. | Lancaster, OH 43130
740-687-8000 | 800-548-2627 (TOLL FREE)