

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 1

Printed: February 4, 2020

Facility: Ohio Paperboard

FACILITY NAME AND LOCATION:

Ohio Paperboard  
Dept:  
310 W. Water St  
Baltimore, OH 43105 USA  
Emergency 24-Hour Phone Number: 7408624167  
County: Fairfield  
Fire District: Basil Joint Fire District  
Latitude: 39.847174  
Longitude: -82.604927  
MAILING ADDRESS:

1-15

All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 872649322  
NAICS: 322130 (Paperboard Mills)  
TRI: 43105HPPRB3

Is the facility manned?  Manned  Unmanned  
Maximum No. of Occupants: 150

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?  Yes  No  
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)?  Yes  No

STATE-SPECIFIC FACILITY DATA FIELDS FOR OH:

Confidential Location Forms Included  
 Facility Name has changed  
Previous facility name (if known):  
 Owner / Operator has changed  
Previous parent company/owner (if known):  
 Initial Filing (First Time Filer)  
 Updated Filing  
 Annual Filing  
Total EHS Chemicals Included: 1  
Number of Chemicals Included: 16

CONTACT INFORMATION:

**Newark Group Industries, The**

Title:  
Contact Type(s): Parent Company  
Parent company Dun & Bradstreet number: 362578395  
Address: 500 Austell Powdered Springs, Austell, GA 30168 USA  
Phones: Work: 8002252369  
Email:

Feb 13, 2020

**Truax, Jim**

Title: General Manager  
Contact Type(s): Fac. Emergency Coordinator, Tier II Information Contact, Emergency Contact, Owner / Operator

Facility: Ohio Paperboard (continued)

Address: 310 Water Street, Baltimore, OH 43105 USA  
Phones: Work: 7408623572 24-hour: 8643267359  
Email: jim.truax@greif.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: #2 Low Sulfur Diesel Fuel

CAS #:

- EHS:  Yes  No
- Pure  Mixture
- Solid  Liquid  Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: Maximum Amount code: 07 (25,000 - 49,999 pounds)
- Average Daily Amount: Average Daily Amount code: 06 (10,000 - 24,999 pounds)
- Max amount in largest container:
- Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #2 Diesel Fuel Storage

Container Type: Tank inside building Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #2 Diesel Fuel Storage-Fire system

Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Boiler Fuel Storage Tank

MIXTURE COMPONENTS:

Name: Alkanes, C10-C20 branched and linear CAS #: 928771-01-1  EHS  
Max Amt Code: Component Percentage: 5 (by weight)

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 3

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

Name: Kerosine, Petroleum CAS #: 8008-20-6 [ ] EHS  
Max Amt Code: Component Percentage: 50 (by weight)

Name: Naphthalene CAS #: 91-20-3 [ ] EHS  
Max Amt Code: Component Percentage: 2.6 (by weight)

Name: No. 2 Diesel Fuel CAS #: 68476-34-6 [ ] EHS  
Max Amt Code: Component Percentage: 100 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Bonded Aqua Ammonia 21 Degree (Ammonium Hydroxide Solution)

CAS #:

- EHS: [ ] Yes [X] No  
[ ] Pure [X] Mixture  
[ ] Solid [X] Liquid [ ] Gas  
[ ] Identical to previous year  
[ ] Trade secret

PHYSICAL HAZARDS:

- [ ] Explosive  
[ ] Flammable (gases, aerosols, liquids, or solids)  
[ ] Oxidizer (liquid, solid, or gas)  
[ ] Self-reactive  
[ ] Pyrophoric (liquid or solid)  
[ ] Pyrophoric gas  
[ ] Self-heating  
[ ] Organic peroxide  
[ ] Corrosive to metal  
[ ] Gas under pressure (compressed gas)  
[ ] In contact with water emits flammable gas  
[ ] Combustible dust

HEALTH HAZARDS:

- [X] Acute toxicity (any route of exposure)  
[X] Skin corrosion or irritation  
[X] Serious eye damage or eye irritation  
[ ] Respiratory or skin sensitization  
[ ] Germ cell mutagenicity  
[ ] Carcinogenicity  
[ ] Reproductive toxicity  
[ ] Specific target organ toxicity (single or repeated exposure)  
[ ] Aspiration hazard  
[ ] Simple asphyxiant

[ ] Hazard not otherwise classified

AMOUNTS:

- [ ] Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential: [ ] Yes [X] No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Wastewater Treatment Plant

MIXTURE COMPONENTS:

Facility: Ohio Paperboard (continued)

Name: Aqueous Ammonia CAS #: 1336-21-6  EHS  
Max Amt Code: Component Percentage: 20 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Bonded Caustic Soda

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

MIXTURE COMPONENTS:

Name: Sodium Chloride CAS #: 7647-14-5  EHS  
Max Amt Code: Component Percentage: 5 (by volume)

Facility: Ohio Paperboard (continued)

Name: Sodium Hydroxide CAS #: 1310-73-2 [ ] EHS  
Max Amt Code: Component Percentage: 51.5 (by volume)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Bonded Phosphoric Acid

CAS #:

EHS: [ ] Yes [X] No  
[ ] Pure [X] Mixture  
[ ] Solid [X] Liquid [ ] Gas  
[X] Identical to previous year  
[ ] Trade secret

PHYSICAL HAZARDS:

[ ] Explosive  
[ ] Flammable (gases, aerosols, liquids, or solids)  
[ ] Oxidizer (liquid, solid, or gas)  
[ ] Self-reactive  
[ ] Pyrophoric (liquid or solid)  
[ ] Pyrophoric gas  
[ ] Self-heating  
[ ] Organic peroxide  
[X] Corrosive to metal  
[ ] Gas under pressure (compressed gas)  
[ ] In contact with water emits flammable gas  
[ ] Combustible dust

HEALTH HAZARDS:

[ ] Acute toxicity (any route of exposure)  
[X] Skin corrosion or irritation  
[X] Serious eye damage or eye irritation  
[ ] Respiratory or skin sensitization  
[ ] Germ cell mutagenicity  
[ ] Carcinogenicity  
[ ] Reproductive toxicity  
[ ] Specific target organ toxicity (single or repeated exposure)  
[ ] Aspiration hazard  
[ ] Simple asphyxiant

[ ] Hazard not otherwise classified

AMOUNTS:

[X] Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 03 (500 - 999 pounds)  
Average Daily Amount: Average Daily Amount code: 03 (500 - 999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential: [ ] Yes [X] No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Wastewater Treatment Plant

MIXTURE COMPONENTS:

Name: Phosphoric Acid CAS #: 7664-38-2 [ ] EHS  
Max Amt Code: Component Percentage: 75 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

Facility: Ohio Paperboard (continued)

-----  
**Chemical Name: Bonded Soda Ash (Sodium Carbonate)**

CAS #: 497-19-8

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 06 (10,000 - 24,999 pounds)  
Average Daily Amount: Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Boiler Room

MIXTURE COMPONENTS:

Name: Sodium Carbonate CAS #: 497-19-8  EHS  
Max Amt Code: Component Percentage: 100 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

-----  
**Mixture or Product Name: Bonded Sodium Hypochlorite**

CAS #:

EHS:  Yes  No

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 7

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

- Pure  Mixture
- Solid  Liquid  Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)
- Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)
- Max amount in largest container:
- Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Krofta Room Basement

MIXTURE COMPONENTS:

Name: Sodium Hypochlorite CAS #: 7681-52-9  EHS  
Max Amt Code: Component Percentage: 16.5 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

Mixture or Product Name: Bonded Sulfuric Acid

CAS #:

- EHS:  Yes  No
- Pure  Mixture
- Solid  Liquid  Gas
- Identical to previous year

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 8

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: Maximum Amount code: 07 (25,000 - 49,999 pounds)
- Average Daily Amount: Average Daily Amount code: 07 (25,000 - 49,999 pounds)
- Max amount in largest container:
- Days on site: 250

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Sulfuric acid bulk storage tank

MIXTURE COMPONENTS:

Name: Sulfuric Acid CAS #: 7664-93-9  EHS  
Max Amt Code: 07 (25,000 - 49,999 pounds) Component Percentage: 100 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Extremely Hazardous Substance (EHS)

Mixture or Product Name: Hydrotreated Light Distillate (Mineral Spirits)

CAS #:

- EHS:  Yes  No
- Pure  Mixture
- Solid  Liquid  Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 9

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

- |  |  |
|--|--|
| <input type="checkbox"/> Self-reactive                             | <input type="checkbox"/> Respiratory or skin sensitization                                       |
| <input type="checkbox"/> Pyrophoric (liquid or solid)              | <input type="checkbox"/> Germ cell mutagenicity  |
| <input type="checkbox"/> Pyrophoric gas                            | <input type="checkbox"/> Carcinogenicity   |
| <input type="checkbox"/> Self-heating                              | <input type="checkbox"/> Reproductive toxicity   |
| <input type="checkbox"/> Organic peroxide                          | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal                        | <input checked="" type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Gas under pressure (compressed gas)       | <input type="checkbox"/> Simple asphyxiant   |
| <input type="checkbox"/> In contact with water emits flammable gas |  |
| <input type="checkbox"/> Combustible dust                          |  |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 05 (5,000 - 9,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tank inside building Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

Container Type: Tank inside building Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Krofta Room Basement

MIXTURE COMPONENTS:

Name: Distillates (petroleum), hydrotreated light CAS #: 64742-47-8  EHS  
Max Amt Code: Component Percentage: 100 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Ingredient Pencote D-UHV

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 10

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

- |  |   |
|--|---|
| <input type="checkbox"/> Self-heating                              | <input type="checkbox"/> Reproductive toxicity  |
| <input type="checkbox"/> Organic peroxide                          | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal                        | <input type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Gas under pressure (compressed gas)       | <input type="checkbox"/> Simple asphyxiant  |
| <input type="checkbox"/> In contact with water emits flammable gas |   |
| <input checked="" type="checkbox"/> Combustible dust               |   |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine Makedown Area

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Nalco 64007

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

Facility: Ohio Paperboard (continued)

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

Mixture or Product Name: Nalco 7667

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Facility: Ohio Paperboard (continued)

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Nalco Conquor CNQR3475

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 02 (100 - 499 pounds)  
Average Daily Amount: Average Daily Amount code: 02 (100 - 499 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Boiler Room

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

Facility: Ohio Paperboard (continued)

Mixture or Product Name: Nalco Core Shell 61067

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Nalco Nalbrite 62513

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year

Facility: Ohio Paperboard (continued)

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: Maximum Amount code: 05 (5,000 - 9,999 pounds)
- Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)
- Max amount in largest container:
- Days on site: 180

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Nalco Nalsize 7543

CAS #:

- EHS:  Yes  No
- Pure  Mixture
- Solid  Liquid  Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 15

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

- |  |   |
|--|---|
| <input type="checkbox"/> Pyrophoric gas                            | <input type="checkbox"/> Carcinogenicity  |
| <input type="checkbox"/> Self-heating                              | <input type="checkbox"/> Reproductive toxicity  |
| <input type="checkbox"/> Organic peroxide                          | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal                        | <input type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Gas under pressure (compressed gas)       | <input type="checkbox"/> Simple asphyxiant  |
| <input type="checkbox"/> In contact with water emits flammable gas |   |
| <input type="checkbox"/> Combustible dust                          |   |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount:    Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount:    Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin    Pressure: Ambient pressure    Temperature: Ambient temperature  
Amount:    Location Description: #1 Paper Machine

Container Type: Tote bin    Pressure: Ambient pressure    Temperature: Ambient temperature  
Amount:    Location Description: Chemical Storage Area

MIXTURE COMPONENTS:

Name: Hexadecenyl-Succinic Anhydride    CAS #: 32072-96-1     EHS  
Max Amt Code:    Component Percentage: 60 (by weight)

Name: Octadecenyl-succinic anhydride    CAS #: 28777-98-2     EHS  
Max Amt Code:    Component Percentage: 60 (by weight)

Name: polyethyleneglycol tridecyl ether phosphate    CAS #: 9046-01-9     EHS  
Max Amt Code:    Component Percentage: 5 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

-----  
**Mixture or Product Name: Nalco Nalstrip 2634**

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation

Facility: Ohio Paperboard (continued)

- |  |   |
|--|---|
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas)          | <input checked="" type="checkbox"/> Serious eye damage or eye irritation              |
| <input type="checkbox"/> Self-reactive                             | <input type="checkbox"/> Respiratory or skin sensitization                            |
| <input type="checkbox"/> Pyrophoric (liquid or solid)              | <input type="checkbox"/> Germ cell mutagenicity                                       |
| <input type="checkbox"/> Pyrophoric gas                            | <input type="checkbox"/> Carcinogenicity  |
| <input type="checkbox"/> Self-heating                              | <input type="checkbox"/> Reproductive toxicity  |
| <input type="checkbox"/> Organic peroxide                          | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal                        | <input type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Gas under pressure (compressed gas)       | <input type="checkbox"/> Simple asphyxiant  |
| <input type="checkbox"/> In contact with water emits flammable gas |   |
| <input type="checkbox"/> Combustible dust                          |   |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount:      Maximum Amount code: 02 (100 - 499 pounds)  
Average Daily Amount:      Average Daily Amount code: 02 (100 - 499 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin      Pressure: Ambient pressure      Temperature: Ambient temperature  
Amount:      Location Description: #1 Paper Machine

Container Type: Tote bin      Pressure: Ambient pressure      Temperature: Ambient temperature  
Amount:      Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

**Mixture or Product Name: Nalco Nalstrip 62512**

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 17

Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

In contact with water emits flammable gas

Combustible dust

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: Maximum Amount code: 06 (10,000 - 24,999 pounds)

Average Daily Amount: Average Daily Amount code: 05 (5,000 - 9,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure

Temperature: Ambient temperature

Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure

Temperature: Ambient temperature

Amount: Location Description: Chemical Storage Area

MIXTURE COMPONENTS:

Name: Sodium Hydroxide CAS #: 1310-73-2  EHS

Max Amt Code: Component Percentage: 30 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Novozymes BG Max 3000

CAS #:

EHS:  Yes  No

Pure  Mixture

Solid  Liquid  Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

Explosive

Flammable (gases, aerosols, liquids, or solids)

Oxidizer (liquid, solid, or gas)

Self-reactive

Pyrophoric (liquid or solid)

Pyrophoric gas

Self-heating

Organic peroxide

Corrosive to metal

Gas under pressure (compressed gas)

In contact with water emits flammable gas

Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

Simple asphyxiant

Hazard not otherwise classified

**Tier Two**  
**Emergency and Hazardous Chemical Inventory**  
**Specific Information by Chemical**

Reporting Period: January 1 to December 31, 2019  
Page 18  
Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 02 (100 - 499 pounds)  
Average Daily Amount: Average Daily Amount code: 02 (100 - 499 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Wastewater Treatment Facility

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Voluntary (below threshold)

-----  
**Mixture or Product Name: Plasmine NeuRoz 426**

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: Average Daily Amount code: 07 (25,000 - 49,999 pounds)  
Max amount in largest container:  
Days on site: 250

STORAGE LOCATIONS:

Confidential:  Yes  No

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019  
Page 19  
Printed: February 4, 2020

Facility: Ohio Paperboard (continued)

Container Type: Above ground tank    Pressure: Ambient pressure    Temperature: Ambient temperature  
Amount:    Location Description: Rosin Bulk Storage Tank

MIXTURE COMPONENTS:

Name: Aluminum Sulfate    CAS #: 10043-01-3     EHS  
Max Amt Code:    Component Percentage: 5 (by weight)

Name: Rosin, Maleated/Fumarated    CAS #: 68554-16-5     EHS  
Max Amt Code:    Component Percentage: 40 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Plate Kote 521

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount:    Maximum Amount code: 03 (500 - 999 pounds)  
Average Daily Amount:    Average Daily Amount code: 02 (100 - 499 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin    Pressure: Ambient pressure    Temperature: Ambient temperature  
Amount:    Location Description: #1 Paper Machine

Facility: Ohio Paperboard (continued)

Container Type: Tote bin      Pressure: Ambient pressure      Temperature: Ambient temperature  
Amount:      Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:  
Fee classification for this reported substance: Hazardous Chemical

Mixture or Product Name: Royce Passaic Brown OHB Liquid

CAS #:  
EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount:      Maximum Amount code: 04 (1,000 - 4,999 pounds)  
Average Daily Amount:      Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin      Pressure: Ambient pressure      Temperature: Ambient temperature  
Amount:      Location Description: #1 Paper Machine

Container Type: Tote bin      Pressure: Ambient pressure      Temperature: Ambient temperature  
Amount:      Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:  
Fee classification for this reported substance: Hazardous Chemical

Facility: Ohio Paperboard (continued)

Mixture or Product Name: Solenis Basazol Brown 43 L NA

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: Maximum Amount code: 04 (1,000 - 4,999 pounds)  
Average Daily Amount: Average Daily Amount code: 04 (1,000 - 4,999 pounds)  
Max amount in largest container:  
Days on site: 60

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: #1 Paper Machine

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: Location Description: Chemical Storage Area

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

State/local fees: \$600.00

- I have attached a site plan  
 I have attached a list of site coordinate abbreviations  
 I have attached a description of dikes and other safeguard measures

FACILITY NOTES:

HNOC for Diesel Fuel: Static accumulating flammable liquid

Facility: Ohio Paperboard (continued)

**Certification (Read and sign after completing all sections)**

I certify under penalty of law that I have personally examined and am familiar with the information in pages 1 through 22, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

  
\_\_\_\_\_  
Signature

02/06/2020  
\_\_\_\_\_  
Date signed

**Jim Truax**  
Name and official title of owner/operator  
OR owner/operator's authorized representative





PACKAGING SUCCESS TOGETHER™

February 6, 2020

To Whom It May Concern:


The enclosed media contains the 2019 hazardous materials inventory report, certification statement, site map, and safety data sheets for the following facility:

Name: Newark Group Inc dba Ohio Paperboard  
Address: 310 West Water Street, Baltimore, Ohio, 43105  
County: Fairfield

Hard copies of these documents are also attached for your convenience.

I hereby certify that I have reviewed the information submitted on the media and report enclosed for the facility listed on this certification and that, to the best of my knowledge and belief, the submitted information is true and complete and that the amounts and values in this report are accurate based on data available to the owners/operator of this facility.

Sincerely,



James R. Truax  
General Manager

RECEIVED  
FEB 13 2020  
FAIRFIELD COUNTY  
OFFICE OF EMERGENCY MANAGEMENT  
AND HOMELAND SECURITY