

**Tier Two**  
**Emergency and Hazardous Chemical Inventory**  
**Specific Information by Chemical**

Reporting Period: January 1 to December 31, 2019

Page 1

Printed: February 20, 2020

**Facility: WestRock USC, INC-Lancaster, OH**

---

**FACILITY NAME AND LOCATION:**

WestRock USC, INC-Lancaster, OH  
Dept:  
1290 Campground Road  
Lancaster, OH 43130 USA  
Emergency 24-Hour Phone Number: 740-681-1600  
County: Fairfield  
Fire District: Lancaster  
Latitude: 39.735932  
Longitude: -82.664536  
MAILING ADDRESS:

0-6

All facility information (not including chemical information) is identical to last year's submission

**IDENTIFICATION NUMBERS:**

Dun & Bradstreet: 07-987-8374  
NAICS: 322211 (Corrugated and Solid Fiber Box Manufacturing)

Is the facility manned?  Manned [ ] Unmanned  
Maximum No. of Occupants: 136

**REGULATORY INFORMATION:**

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? [ ] Yes  No  
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? [ ] Yes  No

**STATE-SPECIFIC FACILITY DATA FIELDS FOR OH:**

Confidential Location Forms Included  
 Facility Name has changed  
Previous facility name (if known):  
 Owner / Operator has changed  
Previous parent company/owner (if known):  
 Initial Filing (First Time Filer)  
 Updated Filing  
 Annual Filing  
Total EHS Chemicals Included: 0  
Number of Chemicals Included: 6

**CONTACT INFORMATION:**

**Falvey, Thomas**

Title: Business Unit General Manager  
Contact Type(s): Owner / Operator  
Address: 1290 Campground Road, Lancaster, OH 43130 USA  
Phones: Work: 513-745-2400 Mobile - Cell: 513-582-6992  
Email: tom.falvey@westrock.com

**Jenkins, Brittany**

Title: Shipping Coordinator  
Contact Type(s): Submitter, Emergency Contact, Tier II Information Contact  
Address: 1290 Campground Road, Lanacaster, OH 43130 USA  
Phones: Work: 740-601-1600 24-hour: 740-216-9716 Mobile - Cell: 740-216-9716

**RECEIVED**  
FEB 27 2020  
FAIRFIELD COUNTY  
OFFICE OF EMERGENCY MANAGEMENT  
AND HOMELAND SECURITY

Facility: WestRock USC, INC-Lancaster, OH (continued)

Email: brittany.jenkins@westrock.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Caustic Soda Solution

CAS #: 1310-73-2

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: 28500 pounds Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: 20000 pounds Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container: 25000 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tank inside building Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 25000 pounds Location Description: Starch Mixing area far East corner of plant

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 3500 pounds Location Description: Starch Mixing area far East corner of plant

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

Chemical Name: Corn Starch

CAS #:

- EHS:  Yes  No  
 Pure  Mixture

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 3

Printed: February 20, 2020

Facility: WestRock USC, INC-Lancaster, OH (continued)

- Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: 150840 pounds Maximum Amount code: 10 (100,000 - 499,999 pounds)  
Average Daily Amount: 120000 pounds Average Daily Amount code: 10 (100,000 - 499,999 pounds)  
Max amount in largest container: 141840 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Silo Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 140840 pounds Location Description: Silo East side of building outside starch kitchen-Unit A-1

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 10000 pounds Location Description: Storage racks in wastewater treatment plant area-room RW1

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

Mixture or Product Name: Inks, Water-Based

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 4

Printed: February 20, 2020

Facility: WestRock USC, INC-Lancaster, OH (continued)

- |  |   |
|--|---|
| <input type="checkbox"/> Self-reactive                             | <input checked="" type="checkbox"/> Respiratory or skin sensitization                 |
| <input type="checkbox"/> Pyrophoric (liquid or solid)              | <input type="checkbox"/> Germ cell mutagenicity                                       |
| <input type="checkbox"/> Pyrophoric gas                            | <input type="checkbox"/> Carcinogenicity  |
| <input type="checkbox"/> Self-heating                              | <input type="checkbox"/> Reproductive toxicity  |
| <input type="checkbox"/> Organic peroxide                          | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal                        | <input type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Gas under pressure (compressed gas)       | <input type="checkbox"/> Simple asphyxiant  |
| <input type="checkbox"/> In contact with water emits flammable gas |   |
| <input type="checkbox"/> Combustible dust                          |   |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds  
Maximum Amount: 37000 pounds    Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: 30000 pounds    Average Daily Amount code: 07 (25,000 - 49,999 pounds)  
Max amount in largest container: 45 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Plastic bottles or jugs    Pressure: Ambient pressure    Temperature: Ambient temperature  
Amount: 37000 pounds    Location Description: Ink Storage 5 gal plastic pails -BM1

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

-----

Mixture or Product Name: Load-Lok B-16 Anti-skid coating

CAS #:

- EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

- Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019  
Page 5  
Printed: February 20, 2020

Facility: WestRock USC, INC-Lancaster, OH (continued)

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: 13500 pounds Maximum Amount code: 06 (10,000 - 24,999 pounds)  
Average Daily Amount: 13500 pounds Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container: 2700 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No  
  
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 13500 pounds Location Description: Drive side Corrugator-room BM1

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

-----  
**Mixture or Product Name: Lubricating,Hydraulic,Motor,Used, and Transformer Oils**

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: 25800 pounds Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: 25800 pounds Average Daily Amount code: 07 (25,000 - 49,999 pounds)  
Max amount in largest container: 2040 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No  
  
Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature

**Tier Two**  
**Emergency and Hazardous Chemical Inventory**  
**Specific Information by Chemical**

Reporting Period: January 1 to December 31, 2019

Page 6

Printed: February 20, 2020

**Facility: WestRock USC, INC-Lancaster, OH (continued)**

Amount: 2900 pounds Location Description: Hydraulic Reservoirs-Bale and Production Equipment Systems(270 gal baler is Largest) Room RB2 and BM1

Container Type: Steel drum Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 22100 pounds Location Description: Maintenance Shop Areas-Room RM1

Container Type: Steel drum Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 800 pounds Location Description: Rail-Dock Side of Corrugator-Room Bm1

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:

-----  
**Mixture or Product Name: Resins,Water-Based Corrugating**

CAS #:

EHS:  Yes  No  
 Pure  Mixture  
 Solid  Liquid  Gas  
 Identical to previous year  
 Trade secret

PHYSICAL HAZARDS:

Explosive  
 Flammable (gases, aerosols, liquids, or solids)  
 Oxidizer (liquid, solid, or gas)  
 Self-reactive  
 Pyrophoric (liquid or solid)  
 Pyrophoric gas  
 Self-heating  
 Organic peroxide  
 Corrosive to metal  
 Gas under pressure (compressed gas)  
 In contact with water emits flammable gas  
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Reproductive toxicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds  
Maximum Amount: 30691 pounds Maximum Amount code: 07 (25,000 - 49,999 pounds)  
Average Daily Amount: 18000 pounds Average Daily Amount code: 06 (10,000 - 24,999 pounds)  
Max amount in largest container: 3000 pounds  
Days on site: 365

STORAGE LOCATIONS:

Confidential:  Yes  No

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature  
Amount: 30691 pounds Location Description: Starch Room and West of Starch Kitchen in Storage Area-Rooms RS1

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR OH:

Fee classification for this reported substance:



Tier 2 Submit  
Calendar Year 2019  
Certification

I hereby certify that I have reviewed the information submitted on the media enclosed and/or email attachment for the facility listed on this certification and that, to the best of my knowledge and belief, the submitted information is true and complete and that the amounts and values in this report are accurate based on the data available to the owners/operator of this facility.


Thomas Fulvey  
Name  
  
Signature

Business Unit General Manager  
Title  
2/17/2020  
Date Signed

Facility Name WestRock USG, Inc - Lancaster, Ohio  
Address 1290 Campground RD  
City Lancaster OH Zip 43130  
County Fairfield

For multiple facility reports stored within flashdrive or email attachment, please list additional county or counties

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____



Key  
 Boiler Room  
 DA = DeAerator  
 HPR = High Pressure Receiver  
 Starch Room  
 A = Additive  
 C1 = Caustic Tank with retaining walls- 2,000 gallon storage capacity  
 W = Water  
 M = Mixing Tank  
 Waste Water Room  
 IW = Ink Waste Water Tank - 4,500 gal capacity  
 ST = Surplus Tank - 1,000 gal capacity  
 SW = Starch Waste Water - 2,200 gal capacity  
 WA = Waste Water Chemicals for Ph balancing  
 Maintenance  
 UO = Used Oil  
 Production  
 GT = Glue Tote

Spill Containment Drum Kits  
 PIV  
 Risers  
 Transformers

OVERALL BUILDING: BM1  
 (Building - Manufacturing 1)

SCALE = 100 FEET

Signature for Map Submittal

- Room List
- RB1 Boiler Room
  - RS1 Starch Room
  - RW1 Wastewater Room
  - RB2 Baler Room
  - RW1 Maintenance Shop
  - BM1 Main Manufacturing Area



SPPC Map  
 WestRock USC, Inc.,  
 Campground Road  
 Lancaster, Ohio 43130  
 02/13/2020