## FAX COVER SHEET

Clearcreek TWP Fire Dept. 11042 Main Street Stoutsville Ohio 43164 740-474-6438 740-474-5668

Send to: Fairfield County EMA	From: Kevin Farmer
Attention:	Date:
Dan Bolger	16-16-00
Office location:	Office location:
Fax number:	Phone number:

Total pages, including cover:

Comments: Dan This fax is in regards to the run we had yesterday with the hand granades. Wright Patt Disposal unit came out and detonated the explosives. Scott Bill 10/16/00
For File No Action
Required 4 Your Info

## CLEARCREEK TWP. FIRE DEPT. STOUTSVILLE, OHIO 43154

## INCIDENT REPORT

23107	INCIDENT NO.	EXP.	10	DAY 15	90	DAY OF WEEK	ALARM TIME	32	
SITUATION FOU	IND	22 AIR,GAS RU		44 POWER LINE		Sonday	16:05	16:09	21:27
11.STRUCTURE	100	EMERGENCY A		45 ARCING ELE		55.ASSIST POLICE 56.UNAUTHORIZED		72 BOMB SCARE	
12.OUTSIDE DO		33.LOCKED IN		46 AIRCRAFT ST		57.MOVE UP	BURN	73.ALARM MALFI	
13 VEHICLE FIRE	_	34.SEARCH		47.CHEMICAL S		60.OTHER SERVICE	CALL	74.UNINTENTION 80. UNCLASSIFIE	
14.BRUSH,GRAS		35.EXTRICATIO		51 LOCK OUT		61. SMOKE SCARE		ON DIACTARRIE	
15.TRASH,RUBB 18.EXPLOSION		41 SPILL LEAK		52.WATER REM		63.COTROLLED BUR	N		142
17 OUTSIDE SPI			BOMB REMOVE	53.SMOKE/ODO		65.STEAM, GAS MIST.	AKEN FOR SMOKE		1,-
	LL WITH PIRE	43 EXCESSIVE	HEAT	54.ANIMAL RESC	CUE	71.MALICIOUS FALSE		OTHER	
ACTION TAKEN	MATERIAL STATE OF THE STATE OF	4.REMOVE HAZ	ARD	8. FILL INMOVE I	JP.		MUTUAL AID	1.RECEIVED	The state of the s
1.EXTINGUISHM	Strategie and the strategie an	5.STANDBY		9.NOT CLASSIFI	ED	2	WO TOPE AID	2.GIVEN	
2 RESCUE UR AS		6.SALVAGE		0.UNDETERMINE	ED CE	12		LOIVEN	
3 INVESTIGATION	AND DESCRIPTION OF THE PERSON	7.AMBULANCE				<del></del>			
FIXED PR	OPERTY USE	(OCCUPANO	CY)			IGNITION FA	CTOR		
1	-						V. 011		
1 (1	Com. Em	2011 122	- 1999	01 1			_		
000000	ADDRESS:	me 10	X 19	3400		None			
CORRECT	ADDRESS:					ZIP CODE		CENSUS T	PACT
7/77	Chillie	othe la	ucasto	~ 19,			,	OENSUS I	MACI
OWNED A	AME	(LAST, FI	DOT IN	7		4mand	4		
CARIATIE 18	AINE	(LASI, FI	K9 [, MI]			TELEPHONE		ROOM OR	APT.
$D_{\alpha}$		D				2/			
Ne	MAIS	Ru	3.5			None		1	
METHOD (	DE AL ARM			ED DV //	1	11	T	969.	
			KEPOKI	FDRA //	ckie	Reports	PHONE	767 .	NO.ofALARM
Local	Phone		1			7112			TO OTHER THE
	7		ADDDEE	G160 -					1 1
NO CIDE			ADDRES:	3 7/17 6	hillico	thelanceste	(III)		7
	SERVICE PER	SONNEL	NO. ENG	NES	NO. MUT	<b>UAL AID PERS</b>	ONNEL	NO OTHER	VEHICLES
RESPOND	ED (CCFD)	-	RESPON		RESPON				
	(00.0)	3	VEOL OIL	) J	KESPUN	DED O		RESPONDE	ED
AII ISADED	f INJURIES								1
	M INJURIES	0	8.4		NUMBER	of FATALITIES	3		
FIRE SERVICE			OTHER		FIRE SERVICE			OTHER O	
COMPLEX					MOBILE	PROPERTY TY	PE		
Green 1	. dala d	- < .'	ni	01.1			_		
ADEA of E	RE IGNITION	DN J IN	UFIC	2400					
					EQUIPME	NT INVOLVED	IN IGNITIO	N	
//	ine						NO.		
	EAT IGNITIO	\ /	7) (DF 61						
				AATEDIAL L	CALL STORY IN				
S. S	CAT IGNITIO	N	I YPE OF N	MATERIAL K	SNITED		FORM of I	MATERIAL I	GNITED
Section 2000	CATIGNITIO				SNITED	***	FORM of I	MATERIAL I	GNITED
METHOD OF		5 PRE-CONNECT	HOSE/TANK ONL	Y		LEVEL of FIRE ORIGIN	FORM of I	MATERIAL I	
METHOD OF EXTINGUISHMENT		5.PRE-CONNECT 6.PRE-CONNECTI	HOSE/TANK ONL	Y DRAFT STANDPIPE				MATERIAL I	ESTIMATED
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS	iHED:	5 PRE-CONNECT 6 PRE-CONNECTO 7 HAND LAID HOS	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/	Y DRAFT STANDPIPE		LEVEL of FIRE ORIGIN 1. GRADE LEVEL TO SF 2 10 TO 19 FT			ESTIMATED TOTAL DOLLAR
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AIDS	SHED S	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 6 MASTER STREA	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/ IM DEVICE	Y DRAFT STANDPIPE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT	7 8.0VER 70 FT 7.08JECTS in F 8.8ELOW GROUP	LIGHT 10 LEVEL	ESTIMATED
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AIDS 3. PORTABLE EXTIR	HED S NGUISHER	5.PRE-CONNECT 6.PRE-CONNECTT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE	HOSE/TANK ONI HOSE/HYDRANT DE/HYDRANT DR/ IM DEVICE D ABOVE	DRAFT STANDPIPE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT	7 8.0VER 70 FT 7 08JECTS in F 8.BELOW GROUP 9.NOT CLASSIFIE	LIGHT 4D LEVEL ED ABOVE	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT	HED S NGUISHER . SYSTEM	5 PRE-CONNECT 6 PRE-CONNECT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE 0.UNDETERMINED	HOSE/TANK ONI HOSE/HYDRANT DE/HYDRANT DR/ IM DEVICE D ABOVE	.Y DRAFT STANDPIPE AFT STANDPIPE RTED		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 38 FT 5 50 TO 70 FT	7 8.0VER 70 FT 7 08JECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE	LIGHT 4D LEVEL ED ABOVE D	ESTIMATED TOTAL DOLLAR
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT	HED S NGUISHER	5.PRE-CONNECT 6.PRE-CONNECTT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE	HOSE/TANK ONI HOSE/HYDRANT DE/HYDRANT DR/ IM DEVICE D ABOVE	DRAFT STANDPIPE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT	7 8.0VER 70 FT 7 08JECTS in F 8.8ELOW GROUP 9.NOT CLASSIFIE	LIGHT 4D LEVEL ED ABOVE D	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT	HED S NGUISHER . SYSTEM	5 PRE-CONNECT 6 PRE-CONNECT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE 0.UNDETERMINED	HOSE/TANK ONI HOSE/HYDRANT DE/HYDRANT DR/ IM DEVICE D ABOVE	.Y DRAFT STANDPIPE AFT STANDPIPE RTED		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 38 FT 5 50 TO 70 FT	7 8.0VER 70 FT 7 08JECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE	LIGHT 4D LEVEL ED ABOVE D	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT IF MOBILE	HED S NGUISHER SYSTEM PROPERTY	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 8 MASTER STREA 9. NOT CLASSIFIE 0. UNDETERMINET YEAR	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	PART STANDPIPE AFT STANDPIPE RTED MAKE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT.	7 8.0VER 70 FT 7 08JECTS in F 8.8ELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NO	LIGHT ND LEVEL ID ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT IF MOBILE	HED S S S S S S S S S S S S S S S S S S S	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 8 MASTER STREA 9. NOT CLASSIFIE 0. UNDETERMINET YEAR	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE	.Y DRAFT STANDPIPE AFT STANDPIPE RTED		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 38 FT 5 50 TO 70 FT	7 8.0VER 70 FT 7 08JECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE	LIGHT ND LEVEL ID ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTIN 4. AUTOMATIC EXT IF MOBILE	HED S S S S S S S S S S S S S S S S S S S	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 9. MASTER STREA 9. MOT CLASSIFIE 0. UNDETERMINED YEAR	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	PART STANDPIPE AFT STANDPIPE RTED MAKE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT.	7 8.0VER 70 FT 7 08JECTS in F 8.8ELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NO	LIGHT ND LEVEL ID ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTI 14. AUTOMATIC EXT IF MOBILE IF EQUIPME IN IGNITION	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVE	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 9. MASTER STREA 9. MOT CLASSIFIE 0. UNDETERMINED YEAR	HOSE/TANK ONE HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL	7 8.0VER 70 FT 7 08JECTS in F 8.8ELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NO	LIGHT ND LEVEL ID ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AID 3. PORTABLE EXTI 14. AUTOMATIC EXT IF MOBILE IF EQUIPME IN IGNITION	HED S S S S S S S S S S S S S S S S S S S	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 9. MASTER STREA 9. MOT CLASSIFIE 0. UNDETERMINED YEAR	HOSE/TANK ONL HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	PART STANDPIPE AFT STANDPIPE RTED MAKE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT.	8.0VER 70 FT 7 08JECTS in F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI	LIGHT 40 LEVEL ED ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS   LICENSE NO
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTO 3. PORTABLE EXTI 4. AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVE IONAL REPO	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 6. MASTER STRE 9. NOT CLASSIFIE 0. UNDETERMINED  YEAR  D	HOSE/TANK ONE HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL	7 8.0VER 70 FT 7 08JECTS in F 8.8ELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NO	LIGHT ND LEVEL ID ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTO 3. PORTABLE EXTI 4. AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVE IONAL REPO	5 PRE-CONNECT 6 PRE-CONNECT 7. HAND LAID HOS 6. MASTER STRE 9. NOT CLASSIFIE 0. UNDETERMINED  YEAR  D	HOSE/TANK ONE HOSE/HYDRANT DE/HYDRANT DR/ M DEVICE D ABOVE D OR NOT REPOR	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL	8.0VER 70 FT 7 08JECTS in F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI	LIGHT 40 LEVEL ED ABOVE D UMBER	ESTIMATED TOTAL DOLLAR LOSS  C LICENSE NO
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AND 3. PORTABLE EXTIN 4.AUTOMATIC EXT IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVE N IONAL REPO	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE OUNDETERMINE YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HOMOTORIANT DRI MA DEVICE DO ABOVE O OR NOT REPOR	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL MODEL	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUM 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI SERIAL NI	LIGHT ND LEVEL D ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS   LICENSE NO
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AU 4. AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wright CLEARCRE	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attal Son / EK TWP.	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE OUNDETERMINE YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HOMOTORIANT DRI MA DEVICE DO ABOVE O OR NOT REPOR	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO		1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL MODEL	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUM 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI SERIAL NI	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AND 3. PORTABLE EXTIN 4.AUTOMATIC EXT IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVE N IONAL REPO	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HEMYDRANT DRI HAM DEVICE D ABOVE D OR NOT REPOR  YEAR  EMS  WASHING	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1.SELF EXTINGUIS 2.MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS:	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attal Son / EK TWP.	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STREA 9.NOT CLASSIFIE OUNDETERMINE YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HEMYDRANT DRI HAM DEVICE D ABOVE D OR NOT REPOR  YEAR  EMS  WASHING	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT MODEL MODEL	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r  CLEARCRE IRUCKS: E-613	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INVOLVENT INTO INVOLVENT INVOLV	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HEMYDRANT DRI HAM DEVICE D ABOVE D OR NOT REPOR  YEAR  EMS  WASHING	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1.SELF EXTINGUIS 2.MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS:	HED SS NGUISHER SYSTEM PROPERTY ENT INVOLVE N IONAL REPO	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HEMYDRANT DRI HAM DEVICE D ABOVE D OR NOT REPOR  YEAR  EMS  WASHING	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AND 3 PORTABLE EXTIN 4 AUTOMATIC EXT 4 AUTOMATIC EXT IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS: E-513 G-514	HED SINGUISHER SYSTEM PROPERTY ENT INVOLVE IONAL REPORT / EK TWP. DRIVER	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AUTOMATIC EXTI 4. AUTOMATIC EXTI 4. AUTOMATIC EXTI 4. AUTOMATIC EXTI 6. AUTOMATIC EXTI 6. AUTOMATIC EXTI 7. AUTOMATIC 1. AUTOMATIC	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attalgon  EK TWP.  DRIVER	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT HEMYDRANT DRI HAM DEVICE D ABOVE D OR NOT REPOR  YEAR  EMS  WASHING	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AU 4. AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wright CLEARCRE TRUCKS: E-513 G-514 E-516 R-516	HED SINGUISHER SYSTEM PROPERTY ENT INVOLVE IONAL REPORT / EK TWP. DRIVER	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AUTOMATIC EXTI 4. AUTOMATIC EXTI 4. AUTOMATIC EXTI 4. AUTOMATIC EXTI 6. AUTOMATIC EXTI 6. AUTOMATIC EXTI 7. AUTOMATIC 1. AUTOMATIC	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attalgon  EK TWP.  DRIVER	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2 MAKE SHIFT AU 4. AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wright CLEARCRE TRUCKS: E-513 G-514 E-516 R-516	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attalgon  EK TWP.  DRIVER	5.PRE-CONNECT 6.PRE-CONNECT 7.HAND LAID HOS 6.MASTER STRE 9.NOT CLASSIFIE 0.UNDETERMINET YEAR  D  RT:	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS: E-513 G-514 E-516 T-517	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO SATICUSON / EK TWP. DRIVER  7 12 13	5 PRE-CONNECT 6 PRE-CONNECT 7 FAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINET YEAR  D  RT: FIREFIG 7	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	/ PCSO	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUN 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM OSFM	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  LICENSE NO  OTHER  OTHER
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS: E-513 G-514 E-516 T-517	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO  Attalgon  EK TWP.  DRIVER	5 PRE-CONNECT 6 PRE-CONNECT 7 FAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINET YEAR  D  RT: FIREFIG 7	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	PART STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP. FIREFIG	PCSO HTER	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  MODEL  OSHP  VILLAGE OF S  AT SCE	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM STOUTSVIL	LIGHT ND LEVEL DABOVE D UMBER  FFIT  LE ON S	ESTIMATED TOTAL DOLLAR LOSS  CICENSE NO  OTHER TATION
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r CLEARCRE TRUCKS: E-513 G-514 E-516 T-517	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO SATICUSON / EK TWP. DRIVER  7 12 13	5 PRE-CONNECT 6 PRE-CONNECT 7 FAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINET YEAR  D  RT: FIREFIG 7	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	DRAFT STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP.	PCSO HTER	1. GRADE LEVEL TO SF 2 10 TO 19 FT 3.20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  MODEL  OSHP  VILLAGE OF S  AT SCE	8.0VER 70 FT 7.08JECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI OSFM STOUTSVIL	LIGHT ND LEVEL DD ABOVE D UMBER  FFIT	ESTIMATED TOTAL DOLLAR LOSS  CICENSE NO  OTHER TATION
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r  CLEARCRE IRUCKS: E-613 G-514 E-616 R-516 T-517	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVENT I	5 PRE-CONNECT 6 PRE-CONNECT 7 PAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINED YEAR  THE FIG. 7 7 7 PORT	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	PART STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP. FIREFIG	PCSO HTER	1 GRADE LEVEL TO SE 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  MODEL  OSHP  VILLAGE OF S  AT SCE	8.0VER 70 FT 7.0BJECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI  OSFM  TOUTSVIL NE	UMBER  FFIT  ON S	ESTIMATED TOTAL DOLLAR LOSS  CICENSE NO  OTHER TATION
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r  CLEARCRE IRUCKS: E-613 G-514 E-616 R-516 T-517	HED S NGUISHER SYSTEM PROPERTY ENT INVOLVENT I	5 PRE-CONNECT 6 PRE-CONNECT 7 PAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINED YEAR  THE FIG. 7 7 7 PORT	HOSE/TANK ONE HOSE/HYDRANT DRI ME/HYDRANT DRI ME/HYDRANT DRI MASHED  VEAR  EMS  WASHING  HTER	PATE STANDPIPE  RTED  MAKE  MAKE  FCSO  TON TWP.  FIREFIG	PCSO HTER	1 GRADE LEVEL TO SE 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S  AT SCE	8.0VER 70 FT 7.0BJECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI  OSFM  TOUTSVIL NE	UMBER  FFIT  ON S	ESTIMATED TOTAL DOLLAR LOSS  CICENSE NO  OTHER TATION
METHOD OF EXTINGUISHMENT 1. SELF EXTINGUIS 2. MAKE SHIFT AUTOMATIC EXT. IF MOBILE IF EQUIPME IN IGNITION SEE ADDITI  Wrigh r  CLEARCRE IRUCKS: E-613 G-514 E-616 R-516 T-517	HED S NGUISHER SYSTEM  PROPERTY  ENT INVOLVE  IONAL REPO SATICUSON / EK TWP. DRIVER  7 12 13	5 PRE-CONNECT 6 PRE-CONNECT 7 PAND LAID HOS 6 MASTER STRE 9 NOT CLASSIFIE 0 UNDETERMINED YEAR  THE FIG. 7 7 7 PORT	HOSE/TANK ONE HOSE/HYDRANT DRI HOSE/HYDRANT DRI HEMYDRANT DRI HOSE/HYDRANT	PART STANDPIPE AFT STANDPIPE RTED MAKE MAKE FCSO TON TWP. FIREFIG	PCSO HTER	1 GRADE LEVEL TO SE 2 10 TO 19 FT 3 20 TO 29 FT 4 30 TO 39 FT 5 50 TO 70 FT  MODEL  OSHP  VILLAGE OF S  AT SCE	8.0VER 70 FT 7.0BJECTS IN F 8.BELOW GROUP 9.NOT CLASSIFIE 0.UNDETERMINE SERIAL NI  OSFM  TOUTSVIL NE	UMBER  FFIT  ON S	ESTIMATED TOTAL DOLLAR LOSS  CICENSE NO  OTHER TATION

NUMBER OF STORES	CONSTRUCTION TYPE		S UNPROTECTED ORDIN	LOW.			
1 STORY	1.FRE REMSTIVE		7.PROTECTED WOOD PI	200000			
STORY	2 HEAVY TRADER			. –			1
3 to 4 STORIES	3.PROTECTED NONCOMB	8 UNPROTECTED WOOD FRAME STIBLE 9.NOT CLASSIFIED ABOVE					
NUMBER & STORIES UNDETERMINED	4.UNPHOTECTED NONCO		OUNDETERMINED OR N		1		1
OR NOT REPORTED	5.PROTECTED ORDINARY		The state of the state of the state of	nervnied	1		
CTENT OF DAMAGE	FLAME SMOKE	DETECTOR PERF		~~~~	Τ	SPECIMELLER	
ONFINED TO OBJECT OF ORIGIN	1 I PLAME	110000	SPACE of FIRE ORIGIN-OF		ł	PERFORMANCE	1
INFINED TO PART OF ROOM OF ORIGIN	1 10		or SPACE of FIRE ORIGIN.		1.EQUIP. OPERA	TED	- 1
ONFINED TO ROOM OF ORIGIN	3 3 6		SPACE of FIRE ORIGIN -N		2 EQUIP SHOUL	DIBUT DIDN'T	1
ONFINED TO THE FIRE RATED COMP OF ORIGIN	4		or SPACE of FIRE ORIGINA	NOT OPER.	SPIRE TOO SMAL	1 TO OPER	
ONFINED TO FLOOR OF ORIGIN	5 5 SMOKE		SPACE of FIRE ORIGIN	BING EQUIPMENT PRESENT (NIA)			
ONFINED TO STRUCTURE OF ORIGIN	0 6		SMALL TO OPER.		9.NOT CLASSIF!		
TENDED BEYOND STRUCTURE OF ORIGIN	7 7	A NO DETECTORS		0	O.UNDETERMINE	D OR	
DAMAGE OF THIS TYPE (N/A) IDETERMINED OR NOT REPORTED	0 30	9 NOT CLASSIFIED				CT REPORTED	1
DETERMINED ON NOT REPORTED		1 10 UNDSTERMINED	OR NOT REPORTED				السمحما
PE OF MATERIAL GENERATING MOST SMO	KĒ	AVENUE OF SM	OKE TRAVEL			TITU AN ABOUT	
SMOKE SPREAD	0.45%	1 AIR HANDLING		WELL		7.UTILITY OPEN	
YOND ROOM		2.CORRIDOR		wall NG ON CONSTR	HATTON	S.NO AVENUE of T	
ORIGIN		3 ELEVATOR SHAP		Y OPENING IN V		P.NOT CLASSIFIED	
			4.91197	· SINDHIMA MIN	veral.	O UNDETERMINED NOT REPORTE	
ORM OF MATERIAL GENERATI	NG MOST SMOK	F				MOT REPORTE	
Rundy Unit 4 conte eund detenator der, Dan bolgens Barnie	ited Vni	ty For	ner meet	en Wi	lier in	vestigate	Morsk
T	# 11 -	-		Short > //	10 1	ers	MARKE
Liems taken	to y to	arn de	tengted	2/1	0/		
ents Potenties on Sec.	e 17:20	De to	officer St	1 8 1	-		
300	11100	707	Mycen of	POPI			
	Son, Myers			107 - 314	-	70.000	
AGRAM: Fairfield 16:19 W.P. AFB 16:20	Son Honsti	e14 :					
W.P. Tec 16:53 EPA Pernit	# 4010	-23-9	3921 C	nis h	lolmes	17:0	57
EPA Pernit	77 0010	01	40 99				
Tenantin Ing	senty En	Wiel	145 hi 7-9	7 1	1 /4LS4	1 1592	Llear
	Mik	e Fate	12-76				
	A	enny					
EPA # 0010-2	3-292/ -	-17:07	By Cm	's Hol	mes		