



National Fire Incident Report

Violet Township Fire Department

A FDID: 23123 State: OH Incident Date: 07/26/2012 Station: VTFD Station 591 Incident #: 12000569 Exposure: 000

L Remarks Dispatched to 33 and Allen Rd on an A/A with a semi jacked knifed in a ditch. On scene to find a truck leaking fuel from fuel tank in the ditch which had running water towards a creek. Approx 75 gallons leak from tank. Crews put down pad and pigs in the ditch to slow the run off. Fairfield county Haz-Mat arrived to help with damming the ditch. The truck company was notified in which he contacted BBU environment clean up company. They worked on clean up of ditch and creek runoff. EPA was notified and would follow up on situation After tow company removal truck. BBU was in charge of clean up All BIS

Fairfield County Hazmat team OSC as well for incident and assistance.
FCSO OSC for traffic control
VTFD Mechanic Doc Metzger OSC

US DOT 1454357
ABS freight transport supervisor - Kristina at Ext 204
Cleaning Company BBV

M Authorization

Officer in charge ID	59-8 - Paxton Jim A
Position/Rank	12 - Battalion Chief
Assignment	1 - Fire/EMS Division
Date (Month/Day/Year)	08/03/2012
Officer making report	59-19 - Davis John
Position/Rank	4 - Lieutenant
Assignment	1 - Fire/EMS Division
Date (Month/Day/Year)	08/23/2012

** Completed Modules

- Fire - 2
- Structure Fire - 3
- Civilian Fire Casualty - 4
- Fire Service Casualty - 5
- EMS - 6
- HazMat - 7
- Wildland Fire - 8
- Apparatus - 9
- Personnel - 10
- Arson - 11
- Supplemental - 1S





National Fire Incident Report

Violet Township Fire Department

A FDID: 23123 State: OH Incident Date: 07/26/2012 Station: VTFD Station 591 Incident #: 12000569 Exposure: 000

NFIRS-7 HazMat

B Hazmat ID
 UN Number 1993
 DOT Hazard Classification -
 CAS Registration Number -
 Chemical Name Diesel fuel
 C1 Container Type 41 - Vehicle fuel tank and associated piping
 C2 Estimated Container Capacity -
 C3 Units:Capacity -
 D1 Estimated Release Amount (Volume/Wgt) 75
 D2 Units:Released 12 - Gallons (volume)
 E1 Physical State when Released 2 - Liquid
 E2 Released Into 4 - Water and ground
 F1 Released From Below Grade
 F2 Population Density -
 G1 Area Affected -
 Enter Area Measurement 0
 G2 Area Evacuated None
 Enter Area Measurement 0
 G3 Estimated # of People Evacuated 0
 G4 Estimated # of Buildings Evacuated 0
 H Hazmat Actions Taken
 Primary Action Taken(1) 13 - HazMat spill control and confinement
 Additional Action Taken(2) 14 - HazMat leak control and containment
 Additional Action Taken(3) 31 - Refer to proper authority
 I Fire/Explosion, which occurred first? -
 J Cause of Release 2 - Unintentional release
 K Factors contributing to Release
 Factor1 71 - Collision, overturn, knockdown
 L Factors affecting Mitigation
 Factor(1)/Impediment(1) 42 - Storm
 Factor(2)/Impediment(2) 41 - High wind
 M Equipment Involved in Release None
 N Mobile Property Involved in Release
 Property Type 23 - Trailer - semi, designed for freight
 Property Make -
 Model -
 Year 0
 License Plate Number -
 License Plate State -
 DOT #/ICC # DOT1454357
 O Hazmat Disposition 7 - Released to private agency
 P Hazmat Civilian Casualties
 Hazmat Civilian Deaths 0
 Hazmat Civilian Injuries 0



National Fire Incident Report

Violet Township Fire Department

A	FDID: 23123	State: OH	Incident Date: 07/26/2012	Station: VTFD Station 591	Incident #: 12000569	Exposure: 000
NFIRS-9 Apparatus/Resources						
B	Apparatus/Resources					
	Apparatus	638 - B591				
	Apparatus Type	92 - Chief officer car				
	Dispatched As	-				
	Sent	<input checked="" type="checkbox"/> Sent				
	Actions Taken					
	Action Taken1	81 - Incident command				
	Action Taken2	-				
	Action Taken3	-				
	Action Taken4	-				
	Dates and Times					
	Dispatched	07/26/2012 - 18:03:00				
	Arrival/On Scene	07/26/2012 - 18:14:50				
	Cleared Date	07/26/2012 - 20:48:01				
	Number of People	1				
B	Apparatus/Resources					
	Apparatus	641 - E591				
	Apparatus Type	11 - Engine				
	Dispatched As	-				
	Sent	<input checked="" type="checkbox"/> Sent				
	Apparatus Use	<input checked="" type="checkbox"/> Suppression				
	Actions Taken					
	Action Taken1	45 - Remove hazard				
	Action Taken2	44 - Hazardous materials leak control & containment				
	Action Taken3	-				
	Action Taken4	-				
	Dates and Times					
	Dispatched	07/26/2012 - 18:05:05				
	Arrival/On Scene	07/26/2012 - 18:10:53				
	Cleared Date	07/26/2012 - 20:47:34				
	Number of People	3				
B	Apparatus/Resources					
	Apparatus	654 - E611				
	Apparatus Type	11 - Engine				
	Dispatched As	-				
	Sent	<input checked="" type="checkbox"/> Sent				
	Apparatus Use	<input checked="" type="checkbox"/> Suppression				
	Actions Taken					
	Action Taken1	93 - Cancelled				
	Action Taken2	-				
	Action Taken3	-				
	Action Taken4	-				
	Dates and Times					
	Dispatched	07/26/2012 - 18:03:00				
	Arrival/On Scene	-				
	Cleared Date	07/26/2012 - 18:15:37				



National Fire Incident Report

Violet Township Fire Department

A	FDID: 23123	State: OH	Incident Date: 07/26/2012	Station: VTFD Station 591	Incident #: 12000569	Exposure: 000
	Number of People	0				
B	Apparatus/Resources					
	Apparatus	645 - M591				
	Apparatus Type	76 - ALS unit				
	Dispatched As	-				
	Sent	<input checked="" type="checkbox"/> Sent				
	Apparatus Use	<input checked="" type="checkbox"/> EMS				
	Actions Taken					
	Action Taken1	92 - Standby				
	Action Taken2	-				
	Action Taken3	-				
	Action Taken4	-				
	Dates and Times					
	Dispatched	07/26/2012 - 18:50:11				
	Arrival/On Scene	07/28/2012 - 19:03:43				
	Cleared Date	07/26/2012 - 20:47:32				
	Number of People	2				
B	Apparatus/Resources					
	Apparatus	648 - R592				
	Apparatus Type	71 - Rescue unit				
	Dispatched As	-				
	Sent	<input checked="" type="checkbox"/> Sent				
	Apparatus Use	<input checked="" type="checkbox"/> EMS				
	Actions Taken					
	Action Taken1	73 - Provide manpower				
	Action Taken2	75 - Provide equipment				
	Action Taken3	-				
	Action Taken4	-				
	Dates and Times					
	Dispatched	07/26/2012 - 18:03:00				
	Arrival/On Scene	07/26/2012 - 18:12:25				
	Cleared Date	07/26/2012 - 20:45:57				
	Number of People	3				



National Fire Incident Report

Violet Township Fire Department

A FDID: 23123 State: OH Incident Date: 07/26/2012 Station: VTFD Station 591 Incident #: 12000569 Exposure: 000

NFIRS-10 Personnel

B Apparatus/Resources

Apparatus 638 - B591
 Apparatus Type 92 - Chief officer car
 Sent Sent
 Dates and Times
 Dispatched 07/26/2012 - 18:03:00
 Arrival/On Scene 07/26/2012 - 18:14:50
 Cleared Date 07/26/2012 - 20:48:01
 ** Name Paxton Jim A
 Rank or Grade 12 - Battalion Chief
 Attend Attend
 Actions Taken
 Action Taken1 81 - Incident command
 Action Taken2 -
 Action Taken3 -
 Action Taken4 -

B Apparatus/Resources

Apparatus 641 - E591
 Apparatus Type 11 - Engine
 Sent Sent
 Apparatus Use Suppression
 Dates and Times
 Dispatched 07/26/2012 - 18:05:05
 Arrival/On Scene 07/26/2012 - 18:10:53
 Cleared Date 07/26/2012 - 20:47:34
 ** Name Lee Christopher Michael
 Rank or Grade 5 - Firefighter / Paramedic
 Attend Attend
 Actions Taken
 Action Taken1 45 - Remove hazard
 Action Taken2 44 - Hazardous materials leak control & containment
 Action Taken3 -
 Action Taken4 -

** Name Davis John
 Rank or Grade 4 - Lieutenant
 Attend Attend
 Actions Taken
 Action Taken1 45 - Remove hazard
 Action Taken2 44 - Hazardous materials leak control & containment
 Action Taken3 -
 Action Taken4 -

** Name Cullison T.J.
 Rank or Grade 8 - Part Time Firefighter / Paramedic
 Attend Attend
 Actions Taken
 Action Taken1 45 - Remove hazard





National Fire Incident Report

Violet Township Fire Department

A	FDID: 23123	State: OH	Incident Date: 07/26/2012	Station: VTFD Station 591	Incident #: 12000569	Exposure: 000
	Action Taken2				44 - Hazardous materials leak control & containment	
	Action Taken3				-	
	Action Taken4				-	
B	Apparatus/Resources					
	Apparatus				654 - E611	
	Apparatus Type				11 - Engine	
	Sent				<input checked="" type="checkbox"/> Sent	
	Apparatus Use				<input checked="" type="checkbox"/> Suppression	
	Dates and Times					
	Dispatched				07/26/2012 - 18:03:00	
	Arrival/On Scene				-	
	Cleared Date				07/26/2012 - 18:15:37	
B	Apparatus/Resources					
	Apparatus				645 - M591	
	Apparatus Type				76 - ALS unit	
	Sent				<input checked="" type="checkbox"/> Sent	
	Apparatus Use				<input checked="" type="checkbox"/> EMS	
	Dates and Times					
	Dispatched				07/26/2012 - 18:50:11	
	Arrival/On Scene				07/26/2012 - 19:03:43	
	Cleared Date				07/26/2012 - 20:47:32	
**	Name					
	Name				Pfelfer Elizabeth Ann	
	Rank or Grade				5 - Firefighter / Paramedic	
	Attend				<input checked="" type="checkbox"/> Attend	
	Actions Taken					
	Action Taken1				92 - Standby	
	Action Taken2				-	
	Action Taken3				-	
	Action Taken4				-	
**	Name					
	Name				Frank Fred	
	Rank or Grade				5 - Firefighter / Paramedic	
	Attend				<input checked="" type="checkbox"/> Attend	
	Actions Taken					
	Action Taken1				92 - Standby	
	Action Taken2				-	
	Action Taken3				-	
	Action Taken4				-	
B	Apparatus/Resources					
	Apparatus				648 - R592	
	Apparatus Type				71 - Rescue unit	
	Sent				<input checked="" type="checkbox"/> Sent	
	Apparatus Use				<input checked="" type="checkbox"/> EMS	
	Dates and Times					
	Dispatched				07/26/2012 - 18:03:00	
	Arrival/On Scene				07/26/2012 - 18:12:25	
	Cleared Date				07/26/2012 - 20:45:57	
**	Name					
	Name				Kellogg Kevin	



National Fire Incident Report

Violet Township Fire Department

A FDID: 23123 State: OH Incident Date: 07/26/2012 Station: VTFD Station 591 Incident #: 12000569 Exposure: 000

Rank or Grade 16 - Chaplin

Attend Attend

Actions Taken

- Action Taken1 -
- Action Taken2 -
- Action Taken3 -
- Action Taken4 -

** Name Redd Patrick J

Rank or Grade 9 - Part Time Firefighter / EMT

Attend Attend

Actions Taken

- Action Taken1 -
- Action Taken2 -
- Action Taken3 -
- Action Taken4 -

** Name McFarland Kevin

Rank or Grade 4 - Lieutenant

Attend Attend

Actions Taken

- Action Taken1 -
- Action Taken2 -
- Action Taken3 -
- Action Taken4 -



Arrive on scene

Find out what happened/what is going on

Hazmat Techs suit up

19:44 Got 3 white Booms out to catch fuel @ 19:44

Have an overspill going

The Booms are above and below spill

At ~~7:52~~ 19:52 cut PVC (5") in half and used as dike and dam

~~7:52~~ 10H binel

pds-20-208

3 Booms - 77.08

4 tyvek 11.10 a piece

~~5 pairs of boots 23.68~~

5 pairs latex gloves - 23.65 nitrile (5) / box
17811 . pair \$4.10 a pair (5) pairs

Rick - R. Steiner
Kristen
Craig
Kent
WES